


BETTEFLOOR
The standard for flush-to-floor showers

bathing
showering
washing



0% Height 100% Classic

As with all genuine classic products, the success story of the flush-to-floor **BETTEFLOOR** shower area is based on trail-blazing innovations for **BETTEFLOOR** has redefined showering comfort.

The absolutely flush-to-floor installation without any trip hazard is convenient and comfortable for people of all generations. The quality of the steel/enamel surface can be seen and felt. At the same time, various worlds of colour also visibly permit perfect integration of the shower area into the floor – thus giving the bathroom spacious elegance. And last but not least, **BETTEFLOOR** provides safety and hygiene in the bathroom since porous and rough surfaces such as with a tiled shower area are avoided.

Discover the benefits of the original on the following pages.







Flush-to-floor hygiene

Do you want unlimited hygiene and safety in the bathroom? Then you should avoid potential sources of hazard from the outset. Rough and porous joints in tiled shower areas are weak points for attack to breed and water to penetrate.


BETTEFLOOR is different: The steel/enamel shower area covers the sensitive shower section like one large tile. At the same time, the inorganic material does not provide any breeding ground for bacteria and germs. Dirt can not gain purchase on the even and robust **BETTEGLAZE®** surface – it can be simply cleaned with a damp cloth.

The hygiene advantages of the **BETTEFLOOR** compared with a tiled shower area have been tested and confirmed by the inspection agency, **TÜV Rheinland**.



Decide in favour of a systematic solution

	Tiled shower areas harbour high risks	BETTEFLOOR – definitely hygienic and safe
Hygiene	Joints in a tiled shower area are <ul style="list-style-type: none"> • real dirt traps • a good breeding ground for germs and bacteria • difficult to clean 	The BETTEFLOOR ... <ul style="list-style-type: none"> • covers the sensitive shower area without any joints • offers no hold for dirt thanks to the glassy surface • is easy to clean
Safety	<ul style="list-style-type: none"> • Porous joints cause water damage • Repairs are time-consuming and costly 	<ul style="list-style-type: none"> • BETTEGLAZE® is exceptionally robust • BETTEFLOOR reliably protects against water penetrating and is permanently accessible for inspection work



Everything but standard

Bathrooms are somewhere to relax and unwind, designed not just to be hygienic and convenient, but to reflect the user's own, inimitable style. For an individual bathroom interior design, we offer **BETTEFLOOR** in a wide variety of dimensions: square and rectangular, from the standard size to generous dimensions where two can comfortably take a shower together.

Dimensions (length x width):

80 x 80 cm	110 x 75 cm	130 x 75 cm	150 x 80 cm	170 x 75 cm
	110 x 80 cm	130 x 80 cm	150 x 90 cm	170 x 80 cm
90 x 70 cm	110 x 90 cm	130 x 90 cm	150 x 100 cm	170 x 90 cm
90 x 75 cm	110 x 100 cm	130 x 100 cm		170 x 100 cm
90 x 80 cm			160 x 75 cm	
90 x 90 cm	120 x 70 cm	140 x 75 cm	160 x 80 cm	180 x 80 cm
	120 x 75 cm	140 x 80 cm	160 x 90 cm	180 x 90 cm
100 x 70 cm	120 x 80 cm	140 x 90 cm	160 x 100 cm	180 x 100 cm
100 x 75 cm	120 x 90 cm	140 x 100 cm		
100 x 80 cm	120 x 100 cm			
100 x 90 cm	120 x 120 cm			
100 x 100 cm				



reddot



DESIGNPREIS
2008
NOMINIERT



SCHÖNER
WOHNEN



DESIGN PLUS







Always in top form

With **BETTEFLOOR CORNER**, the trend towards flush-to-floor shower areas elegantly enters the next stage. The soft shape fits harmoniously into the overall design. The shower area is ideally suited as an attractive space-saving solution for a small bathroom.

Dimensions (length x width):

80 x 100 cm
90 x 90 cm
100 x 80 cm
100 x 100 cm

The **BETTEFLOOR CARO** combines many advantages: The spacious effect of a flush-to-floor shower area, the hygienic surface made of steel/enamel, the space-saving design with a bevelled corner and modern straight lines. Small bathrooms appear more spacious, the modern linear pattern remains clear.

Dimensions (length x width):

90 x 90 cm
100 x 100 cm





Bette makes
a difference



..... Continuous gradient

The continuous, gentle gradient of the **BETTEFLOOR** shower area runs from the corner to the outlet. You can see how the water reliably flows from any point to the central outlet – you can feel the plane surface which guarantees a pleasant and safe foothold.

..... Flush outlet

It is the little details of **BETTEFLOOR** that are so convincing – the flat outlet cover is integrated flush into the shower area, thus ensuring a comfortable foothold.

High drainage capacity

BETTEFLOOR sets the standard for high drainage volume at minimal installation heights. The **0.70 litres/sec.**, drainage capacity is well above the norm and is achieved at installation heights starting from **65 mm**.

As a result, you can readily combine **BETTEFLOOR** with modern, large shower fittings such as rain showers.

..... Angular corners

The corners of the **BETTEFLOOR** are not round but in fact angular. This allows it to fit harmoniously into the joint pattern of the floor, like one large tile.

Sound insulation class 3

BETTEFLOOR creates quiet sounds – in conjunction with the **BETTEINSTALLATIONSYSTEM FLUSH-TO-FLOOR**, the noise level is only **20 dB(A)** when in use. That is quieter than whispering and satisfies the requirements placed on sound insulation in structural engineering according to DIN 4109/A1. Tested and confirmed by the **Fraunhofer Institute**.



Master Craftsman's warranty



30-year master craftsman's warranty:

On purchase and installation by a qualified plumbing company, we offer you a 30-year guarantee in accordance with the guarantee certificate.



In line with elegance

In addition to classic white, we offer **BETTEFLOOR** in the matt shades illustrated above which are based on the latest trends in tiles and flooring. On request, **BETTEFLOOR** can also be provided with an outlet fitting in the shower area colour.

Furthermore, we can also produce the shower area in over 1,000 other bathroom colours – matching every ambience. Colour deviations due to printing are possible.

Your local bathroom dealer can provide you with the original colour samples.







Quality from a single source

Our real glass shower screens ensure that the water stays where it is supposed to be during a shower. Of course, we apply the same high quality standards to them as we do to our shower areas, which compliment them perfectly.

A special feature is the magnetic strip integrated into the seals of the door, which is positioned on the steel/enamel surface by the lifting and lowering action of the hinges. In this way, an unobtrusive device prevents splash water escaping.

Other intelligent details:

- The fittings are flush with the inside, so that droplets of water can simply be wiped away
- Cleaning is easy with the **BETTEREAL GLASS PLUS** coating





Extras for comfort & safety

The additional refinement of the existing time-tested enamel surface with **BETTEGLAZE® PLUS** permanently retains the unique beautiful surface and facilitates cleaning. The crystal-clear polymer film allows drops of water to flow off even more easily due to its water-repellent effect. As a result, less residue is produced and the amount of cleaning work is reduced. **BETTEGLAZE® PLUS** also protects the environment – for aggressive cleaning agents can be dispensed with.

The **BETTEANTI-SLIP** surface coating provides even more safety when standing in the shower without diminishing the pleasant feel of the surface texture. And the visual effect and colours are retained. White baths are given a white coating. **BETTEANTI-SLIP** is available in a transparent version for the coloured shower surfaces.

In conjunction with our special **BETTEANTI-SLIP** surface, the **BETTEFLOOR** is slip-resistant to assessment category B (DIN 51097). **BETTEFLOOR** with the anti-slip coating in the size 120 x 120 cm is barrier-free in accordance with E DIN 18040 for apartments and living areas of category A.





Perfect from the ground up

The **BETTE**INSTALLATION SYSTEM FLUSH-TO-FLOOR precisely matches the floor level of the **BETTE**FLOOR shower area and the superflat **BETTE**SHOWER TRAYS. Installation is quick, easy and absolutely safe. With a minimum installation height of 65 mm for drainage through a floor cavity and 110 mm for drainage at the side, the system is the ideal solution for flush-to-floor installation, also for the refurbishment of old buildings and fiddly renovation work. Also readily possible: The combination with the **BETTE**FOOT-SYSTEM when you do not want to do without the advantages of the **BETTE**FLOOR for standard installation.



- only 20 dB(A)
- sound insulation level 3
- as per DIN 4109/A1

The **BETTE**FLOOR shower area is completely installed in just a few work steps. See for yourself: **You will find a short film on step-by-step installation at www.bette.co.uk.**

Installation in a screed floor

The installation frame is variably adjusted, positioned on the bare floor and secured in place. The casing aid provided is mounted.



After the screed has been laid, the seal with the building structure is created with the sealing fleece and the PE sealing strip. Then the wall and floor are tiled.



Finally, the shower area is inserted into the frame and the outlet fitting completely connected. The joints are provided with an elastic sealant. This makes the entire structure permanently accessible for inspection work.



Installation in a wooden floor

*For installation in wooden floors we recommend the special **BETTESEALING SET** for wooden floors.*



Flush-to-floor installation with the **BETTEINSTALLATION SYSTEM**

With the installation system the **BETTEFLOOR** shower area can be installed safely and conveniently to be flush-to-floor. With a vertical outlet and an installation height of min. 65 mm and a side outlet from 110 mm upwards.

Installation heights:

vertical outlet: from 65 mm upwards

horizontal outlet: from 110 mm upwards

Water seal height:

50 mm, as per DIN/EN 274




Fig.: with vertical outlet




Fig.: with side outlet

Almost flush-to-floor installation with **BETTEINSTALLATION SYSTEM**

However, even if flush-to-floor installation is not wanted or is not possible owing to too low a floor structure, showering comfort and the safety of the sealing of the **BETTEFLOOR** can still be achieved with the **BETTEINSTALLATION SYSTEM FLUSH-TO-FLOOR**.

In combination with the installation system, the shower area can, depending on the tile thickness, be installed with a flange of up to 20 mm – and thus can be used for an extremely low floor structure height of only 45 mm.

Installation heights:

vertical outlet: from 45 mm

side outlet: from 90 mm

Water seal height:

50 mm, as per DIN/EN 274




Fig.: with vertical outlet




Fig.: with side outlet

Slightly raised installation with the **BETTEFOOT-SYSTEM**

With the well-known and time-tested **BETTEFOOT-SYSTEM**, the **BETTEFLOOR** can be installed with a flange.

Installation heights:

vertical outlet: from 45 mm

side outlet: from 75 mm

Water seal height:

50 mm, as per DIN/EN 274

Alternatively, the **BETTEFOOT-SYSTEM** can also be used for flush-to-floor installation.





Fig.: with vertical outlet




Fig.: with side outlet

BETTEFLOOR




Models with the same shank lengths




Models with different shank lengths

BETTEFLOOR CORNER




Models with the same shank lengths



Models with different shank lengths

BETTEFLOOR CARO



BETTEFLOOR	A	B	G	H
80 x 80 cm	800	800	400	400
90 x 70 cm	900	700	450	350
90 x 75 cm	900	750	450	375
90 x 80 cm	900	800	450	400
90 x 90 cm	900	900	450	450
100 x 70 cm	1000	700	500	350
100 x 75 cm	1000	750	500	375
100 x 80 cm	1000	800	500	400
100 x 90 cm	1000	900	500	450
100 x 100 cm	1000	1000	500	500
110 x 75 cm	1100	750	550	375
110 x 80 cm	1100	800	550	400
110 x 90 cm	1100	900	550	450
110 x 100 cm	1100	1000	550	500
120 x 70 cm	1200	700	600	350
120 x 75 cm	1200	750	600	375
120 x 80 cm	1200	800	600	400
120 x 90 cm	1200	900	600	450
120 x 100 cm	1200	1000	600	500
120 x 120 cm	1200	1200	600	600
130 x 75 cm	1300	750	650	375
130 x 80 cm	1300	800	650	400
130 x 90 cm	1300	900	650	450
130 x 100 cm	1300	1000	650	500
140 x 75 cm	1400	750	700	375
140 x 80 cm	1400	800	700	400
140 x 90 cm	1400	900	700	450
140 x 100 cm	1400	1000	700	500
150 x 80 cm	1500	800	750	400
150 x 90 cm	1500	900	750	450
150 x 100 cm	1500	1000	750	500
160 x 75 cm	1600	750	800	375
160 x 80 cm	1600	800	800	400
160 x 90 cm	1600	900	800	450
160 x 100 cm	1600	1000	800	500
170 x 75 cm	1700	750	850	375
170 x 80 cm	1700	800	850	400
170 x 90 cm	1700	900	850	450
170 x 100 cm	1700	1000	850	500
180 x 80 cm	1800	800	900	400
180 x 90 cm	1800	900	900	450
180 x 100 cm	1800	1000	900	500

BETTEFLOOR CORNER	A	B	G	H
80 x 100 cm	800	1000	400	500
90 x 90 cm	900	900	450	450
100 x 80 cm	1000	800	500	400
100 x 100 cm	1000	1000	500	500

BETTEFLOOR CARO	A	B	G	H	I	K	R
90 x 90 cm	900	900	450	450	450	450	636
100 x 100 cm	1000	1000	500	500	500	500	707

Bette GmbH & Co. KG

Heinrich-Bette-Straße 1
D-33129 Delbrück
Tel.: +49 5250 511-0
Fax: +49 5250 511-130
info@bette.de
www.bette.de

United Kingdom + Ireland:

Bette GmbH & Co. KG UK Branch
Office 2
The Courtyard
Hall Farm
Lockington
Derbyshire
DE74 2RH
Tel.: +44 844 800 0547
Fax: +44 844 800 0548
info@bette.co.uk
www.bette.co.uk

Our articles are supplied exclusively
through the sanitary wholesale trade.

Concept, design, text:
gambit marketing & communication GmbH, Dortmund.
Photography: Studio Casa, Münster.
Lithography: Divis, Hagen.
Overall production: Bernecker Mediagruppe AG, Melsungen.

You will find the complete product range for bathing, showering
and washing in our catalogue and under www.bette.de

Copyright:
All rights to pictures and brands reserved.