GAP



9341503 **GAP CDM-TM PGJ5 20W ADJ. SPOT CL.I**

Description:

Standard exterior built-in luminaire on floor or ceiling GAP LAMP brand. Made of black lacquered aluminium injection, high purity aluminium reflector, tempered glass and exterior hoop made of stainless steel AISI 304. Orientable, tilting Spot Optics. Class I luminaire with an IP67 and electronic equipment included and integrated inside the luminaire. For one 20W CDM-Tm.

Finish: Stainless steel AISI 304

Weight 3.690 g

Installation: Floor recessed

Lamp:

Power	Frequency	Lampholder	Lamp	NºLEDs-model	º K	CRI
20W	230V-50HZ	PGJ5	CDM-TM			

Gear:

Type: Electronic

Plum: 25W

Ignitions: 1

Technical features:

Glass temperature: 74ºC

Quality certificates:

Photometrical data:



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es.

Assembly

Product code:	Description:
9300252	GAP ACC. CONCRETE RECESSING BOX

Product code:	Description:
9300273	GAP ACC. FALSE CEILING

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es.

Tel. +34937366800
Fax +34937861551
Web www.lamp.es

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es.