Project name: / Project type: /

LP Xperi

The fixture provides direct downward illumination and is self-illuminating. The fixture is available in two distributions – round symmetrical and asymmetrical light distribution, as well as with an uplight distribution or with an aluminum cover for no uplight.





Christian Flindt

Christian Flindt (1972-) graduated with an MAA and MDD from Aarhus School of Architecture in 2002. He then started his own design company in 2003. Here, he placed high emphasis on communication between people, and his focus on this area finds expression in his approach to re-evaluating furniture.





louis poulsen

Product info

Finish

Natural painted aluminum, powder coated.

Materials

Lower shade: Injection molded clear polycarbonate. Housing die-cast aluminum.

Mounting

Post top: T-Taper-5IN-2.4IN mounts directly on top of Taper (5IN-2.4IN) poles; T-DRA-5IN-3IN mounts directly on top of dual round aluminum (DRA-5IN-3IN) poles.

Sizes and weight

Width x Height x Length (in.) | 13.8 x 4.1 x 29.8 Max 21.5 lbs

Compliance

cULus, Wet location.

Light source

60W LED/3000K



Product variants

Light source	Voltage frequency	Color	Distribution/Trim	Mounting	Lighting control
60W LED/3000K	120-277V	Nat paint alu	ASY3	Ø115 POLE	Dim 0-10v hi
60W LED/4000K			ASY3-N/UP	Ø76 POLE	Dim 0-10v li
80W LED/3000K			SYM5		
80W LED/4000K			SYM5-N/UP		



Design

Christian Flindt

Weight

Min: 17.053 lbs Max: 21.451 lbs


Finish

Nat paint alu

Voltage

120-277V

Light distribution diagrams



Spare parts & accessories

louis poulsen

LP Xperi

Product	Variant number	
XPERI TOP SHIELD N/UP KIT	5747401938	
XPERI DRIVER REPLACEMENT KIT D US LI ;	5747912582	
XPERI DRIVER REPLACEMENT KIT D HI US į	5747912595	

