

Toldbod 155/220 Glass Pendant

The fixture emits glare-free light directed primarily downwards. The opal glass provides a comfortable and uniform illumination of the area around the fixture.



**Jissen 120th
memorial square
(Jissen Women's
University)**



Greek Restaurant Spyro's

Product info

Finish

White opal glass.

Materials

Suspension: Brushed stainless steel. Shade: Mouth-blown white opal glass.

Mounting

Suspension type: Cable 2x0,75mm². Canopy: Yes. Cable length: 3m.

Sizes and weights

Width x Height x Length (mm) | 155 x 260 x 155 Max 0.8 kg | 220 x 275 x 220 Max 1.5 kg

Class

Ingress protection IP20. Electric shock protection II w/o ground.

Specification notes

60W QT only available for Ø220.

Light source & energy class


A+ - D | 1x25W QT-ax 14 G9




Product family




Toldbod 120 Pendant




Toldbod 155 Wall



Toldbod 220/290 Wall



Toldbod 155 Bollard



Toldbod 290 Post

Product variants

Dimension	Light source	Colour	Class	Cable type
Ø 155	1x25W QT-ax 14 G9	☐ Wht opal glass	II	WHT TEX
Ø 220				

--	--	--	--	--

Design

Louis Poulsen A/S

Weight

Min: 0.837 kg Max: 1.534 kg

Dimensions

Ø 155, Ø 220

Finish

Wht opal glass

Light distribution diagrams

CartesianIsoluxPolar

□ □ □

Spare parts & accessories

Product	Variant number
CANOPY WHITE 2-PART, TOPHAT ®	5749329034
TOLDBOD PENDANT 155, GLASS	5741085907
TOLDBOD PENDANT 220, GLASS	5741085910
TOLDBOD PENDANT 155 25W QT SUSP KIT V2	5741094134
TOLDBOD PENDANT 220 25W QT SUSP. KIT V2	5741094147