



VL Ring Crown 3-5-7

The pendant emits light directed primarily downwards.
The opal glass provides a comfortable and uniform illumination of the area around the fixture.



Vilhelm Lauritzen

Vilhelm Lauritzen (1894–1984) is one of the most significant architects in the history of Denmark; he was the trail-blazing figurehead of Danish functionalism. A number of his buildings – Nørrebro Theatre (1931–32), Daells Varehus department store (1928–35), Radiohuset (1936–41) and the first airport built in Kastrup (1937–39) – represented the concentrated essence of contemporary life.



Product info

Finish

Glossy, mouthblown white opal glass. Satin polished brass, untreated.

Materials

Shades: Mouth-blown, 3-layered, opal glass. Ring Crown wires: Stainless steel. Frame and canopy in untreated brass, will patinate. Pendant suspension: Untreated brass, will patinate. Wall lamp arm and wall-box: Untreated brass, will patinate.

Mounting

Suspension type: Cable 3 x 0,75 mm². Untreated, brass canopy. 4 m. White, textile cord. Pendant: Suspension type: Cable 2 x 0,75 mm². White canopy. 4 m. White, textile cord.

Sizes and weights

Width x Height x Length (mm) | 690 x 233 x 690 Max 7.4 kg | 550 x 233 x 550 Max 5.1 kg | 893 x 233 x 893 Max 9.8 kg

Class

Ingress protection IP20. Electric shock protection II w/o ground.

Light source & energy class

5X40W E27

Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina. The total weight of the fixtures are calculated with the average weight of the glass (671g). They vary from approx. 600-800g.



Product variants

Dimension	Light source	Colour	Class
3	3X40W E27	<input type="radio"/> Brass/glossy opal glass	I
5	5X40W E27		
7	7X40W E27		

--	--	--	--

Design

Vilhelm Lauritzen

Weight

Min: 5.102 kg Max: 9.779 kg

Dimensions

3, 5, 7

Finish

Brass/glossy opal glass