


VL Ring Crown 1

The pendant emits light directed primarily downwards.
The opal glass provides a comfortable and uniform
illumination of the area around the fixture.



Vilhelm Lauritzen

Vilhelm Lauritzen (1894–1984) is one of the most significant architects in the history of Denmark; he was the trail-blazing figurehead of Danish functionalism. A number of his buildings – Nørrebro Theatre (1931–32), Daells Varehus department store (1928–35), Radiohuset (1936–41) and the first airport built in Kastrup (1937–39) – represented the concentrated essence of contemporary life.



Product info

Finish
Glossy, mouthblown white opal glass. Satin polished brass, untreated.

Materials
Shades: Mouth-blown, 3-layered, polished opal glass. Suspension: Untreated brass, will patinate.


Mounting
Cable 2x0,75mm². Canopy: Yes. Cable length: 4m.

Sizes and weights
Width x Height x Length (mm) | 190 x 342 x 190 Max 1.2 kg

Class
Ingress protection IP20. Electric shock protection II w/o ground.

Light source & energy class
1x40W E27

Information
Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina. The total weight of the fixtures are calculated with the average weight of the glass (671g). They vary from approx. 600-800g.



Product variants

Light source	Colour	Class
1x40W E27	<input type="radio"/> Brass/glossy opal glass	II

Design

Vilhelm Lauritzen

Weight

1.195

Finish

Brass/glossy opal glass